

GILTON **Jmm**
jose martinez-medina



PRISMAS REFLEJOS

Mesa de reuniones de tapa circular.

Tapa de 30 mm con fina sobre tapa de 4 mm tapizada en Piel-Tech, dividida en 3 piezas. Canto perimetral inferior en bisel a 45°, dejando un canto recto de 10 mm.

Base formada por 3 prismas triangulares lacados, con incrustaciones de acero en sus extremos.

Todo el conjunto atornillado sobre palastro de aluminio con forma triangular.

NOTA: Posibilidad de electrificar todas nuestras mesas. Consultar PUNTOS KONEX.

Round top table.

30mm thickness table top with subtle 4mm upholstered cover in Techno Leather divided in 3 pieces and Edge with 10mm straight angle and 45° bevel on bottom surface.

The base consists of 3 triangular lacquered prisms inlaid with steel at its ends.





Top and legs are bolted onto a triangular aluminium plate base.

NOTE: Possibility to integrate electrification in all our tables. Consult the Technology section.



PRISM REFLECTIONS





La mesa Gilton está elaborada con:

- Tableros de Densidad Media (DM) de diferentes grosores y densidades. Elaborados en bajo contenido de formaldehído (E1).
- Chapas de madera natural o precompuesta de 6 décimas de espesor, adherida con adhesivos termofusibles y pulimentada con productos acordes con la Normativa Europea Medioambiental.
- Las piezas lacadas (estructuras, piezas de DM, etc.) se tratan con productos químicos acordes con la Normativa Europea Medioambiental.
- Los herrajes y componentes de ajuste y unión, cumplen con las diferentes normativas DIN y UNE.
- Componentes cromados en cromo brillo de alta calidad, durabilidad y resistencia.
- Sobretapa tapizada en Piel-Tech 100% microfibra coagulada poliamídica. Cumple con la norma REACH.
- Base compuesta por:
 - Primas metálicos en acabado laca brillo y acero inoxidable en sus extremos.
 - Pletina triangular de aluminio extrusionada, estirada y calibrada.
 - Acero inoxidable de calidad AISI-304 repulido.

Acabados:

- Tapa: En acabado madera o laca micro-texturizada.
- Sobretapa: Tapizada en Piel-Tech.
- Prismas de la base: En acabado laca brillo.
- Palastro triangular: En acabado acero satinado.

Dimensiones (Standard):

- GLT.160: Ø160 x h74 / Ø63x h29in
- GLT.180: Ø180 x h74 / Ø71x h29in
- GLT.200: Ø200 x h74 / Ø79x h29in

Gilton meeting table is made with:

- Media-particle density (DM) of different thicknesses and densities. Produced in low formaldehyde content (E1).
- Particle Particleboard, 50 mm thick with low formaldehyde content (E1).
- Natural wood plates, sheets or Reconstituted of 6/10 thick, bonded with hot melt adhesives and polished with products according to the European Environmental Regulations.
- All chemical components in the polishing process (base, dyeing and finishing) meet the values accepted by the European environmental legislation.
- Metal parts and components used to fit or join the base, meet different standards DIN and UNE normative.
- Components chrome bright chrome high quality, durability and strength.
- Overtop in 100% coagulated microfiber polyamide technical leather, which complies with REACH regulation.
- Base composed by:
 - Metal prims in gloss lacquer finish and stainless steel at it ends.
 - Rectangular aluminum plate extruded, stretched and calibrated.
 - Re-polished stainless steel, AISI-304 quality standard.

Finishes:

- Top: In wood or micro-texturized lacquer finish.
- Overtop: Upholstered top cover in Tech-Leather.
- Metal prisms: In gloss lacquer finish.
- Triangular base: In satin stainless steel finish.

Dimensiones (Standard):

- GLT.160: Ø160 x h74
- GLT.180: Ø180 x h74
- GLT.200: Ø200 x h74